





# VIBRATION MANAGEMENT CORPORATION

5930 THOMAS ROAD , HOUSTON , TEXAS 77041 , U.S.A

INTERNET ADDRESS: [www.vimco.biz](http://www.vimco.biz)



**OPTION CODES:** (option codes can be combined: e.g. *SRMP-2E-0404-FHQ*)

<p style="text-align: center;"><b>Suffix code F</b></p> <p>1/4" top friction pad with steel separator plate (increases total thickness by 5/16")</p>  <p>example: <i>SRMP-2E-0404-F</i></p>	<p style="text-align: center;"><b>Suffix code H</b></p> <p>3/4" center hole for anchoring</p>  <p>example: <i>SRMP-2E-0404-H</i></p>	<p style="text-align: center;"><b>Suffix code Q</b></p> <p>1/4" top steel plate in lieu of standard 16 gauge (increases total thickness by 3/16")</p>  <p>example: <i>SRMP-3E-0404-Q</i></p>
--	---	--

MODEL	SIZE (inches)	MAX DEFL. (inches)
SRMP-1E 1212	12" x 12" x 13/16"	0.18"
SRMP-1E 0808	8" x 8" x 13/16"	
SRMP-1E 0606	6" x 6" x 13/16"	
SRMP-1E 0404	4" x 4" x 13/16"	
SRMP-1E 0303	3" x 3" x 13/16"	
SRMP-2E 1212	12" x 12" x 1-9/16"	0.36"
SRMP-2E 0808	8" x 8" x 1-9/16"	
SRMP-2E 0606	6" x 6" x 1-9/16"	
SRMP-2E 0404	4" x 4" x 1-9/16"	
SRMP-2E 0303	3" x 3" x 1-9/16"	
SRMP-3E 1212	12" x 12" x 2-3/8"	0.54"
SRMP-3E 0808	8" x 8" x 2-3/8"	
SRMP-3E 0606	6" x 6" x 2-3/8"	
SRMP-3E 0404	4" x 4" x 2-3/8"	
SRMP-3E 0303	3" x 3" x 2-3/8"	
SRMP-sE ssss *	SPECIAL *	

\* Contact factory for more than 3 vibration pad layers and non-standard sizes.

## APPLICATION

\* Wherever bolting is to be avoided and minor, non-critical vibration conditions exist. (pumps, motors, airconditioning units, generators etc.)

## NOTES

1. Material: High quality ozone and water resistant 55 duro elastomer blend, electro-galvanized steel plate
2. Maximum loading: 60 lbs/sq.in.
3. Working range: 15 to 55 lbs/sq.in.

## FEATURES

- \* "Waffle pad" design with inbuilt suction cups.
- \* No bolting required.
- \* Simple field installation.
- \* Higher deflection than single vibration isolation pads

<u>Notes / Remarks :</u>	Project :		Title : <b>SRMP-xE</b> Steel-Rubber Mounting Pad	<u>Drawing no.</u>
	Client :			<b>S-2200.32</b>
	Consultant :			
	Representative :			Rev. 1