

# VIBRATION MANAGEMENT CORPORATION

5930 THOMAS ROAD , HOUSTON , TEXAS 77041 , U.S.A


INTERNET ADDRESS: [www.vimco.biz](http://www.vimco.biz)



FOR FCS SERIES			FOR FCT SERIES			FOR FCS-H SERIES			FOR FCT-H SERIES		
MODEL	SIZE	QTY	MODEL	SIZE	QTY	MODEL	SIZE	QTY	MODEL	SIZE	QTY
	(inches)	(rods / joint)		(inches)	(rods / joint)		(inches)	(rods / joint)		(inches)	(rods / joint)
CRU-S-12	1 1/4	2	CRU-T-12	1 1/4	2	CRU-S-12-H	1 1/4	2	CRU-T-12-H	1 1/4	2
CRU-S-15	1 1/2	2	CRU-T-15	1 1/2	2	CRU-S-15-H	1 1/2	2	CRU-T-15-H	1 1/2	2
CRU-S-20	2	2	CRU-T-20	2	2	CRU-S-20-H	2	2	CRU-T-20-H	2	2
CRU-S-25	2 1/2	2	CRU-T-25	2 1/2	2	CRU-S-25-H	2 1/2	4	CRU-T-25-H	2 1/2	4
CRU-S-30	3	2	CRU-T-30	3	2	CRU-S-30-H	3	4	CRU-T-30-H	3	4
CRU-S-40	4	2	CRU-T-40	4	2	CRU-S-40-H	4	4	CRU-T-40-H	4	4
CRU-S-50	5	2	CRU-T-50	5	2	CRU-S-50-H	5	4	CRU-T-50-H	5	4
CRU-S-60	6	2	CRU-T-60	6	2	CRU-S-60-H	6	4	CRU-T-60-H	6	4
CRU-S-80	8	4	CRU-T-80	8	4	CRU-S-80-H	8	4	CRU-T-80-H	8	4
CRU-S-100	10	4	CRU-T-100	10	4	CRU-S-100-H	10	4	CRU-T-100-H	10	4
CRU-S-120	12	4	CRU-T-120	12	4	CRU-S-120-H	12	4	CRU-T-120-H	12	4
CRU-S-140	14	4	CRU-T-140	14	4	CRU-S-140-H	14	4	CRU-T-140-H	14	4
CRU-S-160	16	4	CRU-T-160	16	4	CRU-S-160-H	16	4	CRU-T-160-H	16	4
CRU-S-180	18	4	CRU-T-180	18	4	CRU-S-180-H	18	4	CRU-T-180-H	18	4
CRU-S-200	20	4	CRU-T-200	20	4	CRU-S-200-H	20	4	CRU-T-200-H	20	4
CRU-S-240	24	4	CRU-T-240	24	4	CRU-S-240-H	24	4	CRU-T-240-H	24	4
CRU-S-280	28	4				CRU-S-280-H	28	4			

### APPLICATION

\* To prevent an excessive extension or compression which could damage the expansion joint. Generally used when there are high pressure risks (e.g. starting a pump...) or when wide temperature fluctuations occur.



### CONTROL ROD COMPOSITION

Element	Quantity
Tie Rod	1
Gusset	2
Nuts	4
Steel washer	2
Rubber washer	2

Notes / Remarks :

Project :  
Client :  
Consultant :  
Representative :

Title :

**CRU**  
Control Rod Unit

Drawing no.  
**S-2500.91**

Rev. 2